The Upland Fuels Study: Short-term Wildlife Response to Fuel Reduction Treatments

Patricia N. Manley
Tray Biasiolli
Matthew Strusis-Timmer
Angela White

US Forest Service, Pacific Southwest Research Station



Fuel Reduction Treatments

- Several tools available to predict fire behavior
- Can we meet multiple objectives?



Study Objectives

- Investigate how fuel reduction treatments impact fuel loads, forest structure and wildlife
- Little data on relative impacts of different prescriptions



Measuring the Impact on Wildlife

- Small mammal and avian focus
 - Important component of Tahoe biodiversity
 - Readily detected
 - Treatments at the standscale
 - Prey base for several sensitive species






Treatment Units

- Eight paired treatment sites
- Before-After Control-Impact Design


| Section 1 | | | |
|-----------|-----------|------------------------|------------------------------------|
| Unit | Ownership | Overstory | Residual Fuel |
| | | Treatment | Treatment |
| MCK 13-3 | USFS | Mechanical thin to 30" | Masticate and surface spread slash |
| WRD 20-9 | USFS | Mechanical thin to 24" | Masticate and surface spread slash |
| BLK 1-4 | USFS | Mechanical thin to 24" | Masticate and surface spread slash |
| TWC 3 | USFS | Mechanical thin to 24" | Masticate and surface spread slash |
| WRD 20-16 | USFS | Hand thin to 10" | Pile/burn |
| MCK 13-1 | USFS | Hand thin to 14" | Pile/burn |
| RED | NDSLV | Hand thin to 24" | Pile/burn |
| WLD | NDSLV | Hand thin to 24" | Pile/burn |




Changes in Forest Structure




Mechanical treatments removed greater proportion of tree cover







Changes in Forest Structure



 Important habitat components for small mammals and birds






Community Response – Birds

• Detected 63 total species

| | Pre-treatment | Post-treatment |
|-------------------|---------------|----------------|
| Species Richness | 53 | 57 |
| Shannon Diversity | 3.27 | 3.28 |
| Shannon Evenness | 0.82 | 0.81 |



Community Response – Small Mammals


Detected 16 total species

| | Pre-treatment | Post-treatment |
|-------------------|---------------|----------------|
| Species Richness | 14 | 14 |
| Shannon Diversity | 1.87 | 1.93 |
| Shannon Evenness | 0.71 | 0.73 |

Species-level Responses – Small Mammals

Analyzed response of 9 species

 2 species showed significant decline in first year following treatment







Response to Treatments – Overall Abundance

 Abundance of birds decreased following treatment

 Abundance of small mammals increased following treatment

Neither pattern statistically significant





Management Implications

- Hand and mechanical treatments consistent with maintenance of community evenness & richness
- Bird abundance may decline slightly after treatment
- Treatments may increase small mammal abundance
 – mechanism unclear
- Mixed response for carnivore prey base – species-dependent



Future Needs


• Limited by treatment variation, large population fluctuations, short-term response

Expand sample size

Examine longer-term r

Research response to w prescriptions

Use of complementary,



Acknowledgments

- Bruce Pavlik
- Alison Stanton
- Dennis Murphy
- Brandon Collins
- Gary Roller
- USFS Lake Tahoe Basin Management Unit
- Nevada Division of State Lands
- Homewood Mountain Resort
- Southern Nevada Public Lands Management Act